

# 5891™

# 100 DAYS

## CHARACTERISTICS

PLANT HEIGHT	-
EAR HEIGHT	-
KERNEL ROWS	-
GIRTH	-
FLEX	-
HUSK COVER	-
FLOWERING MATURITY	-
BLACK LAYER MATURITY	-

## AGRONOMICS

STRESS EMERGENCE	-
ROOT STRENGTH	-
STALK STRENGTH	-
BRITTLE TOLERANCE	-
DROUGHT TOLERANCE	-
HEAT TOLERANCE	-
STAYGREEN	-
TEST WEIGHT	-
GRAIN DRYDOWN	-

## DISEASE TOLERANCE

GRAY LEAF SPOT	-
NORTHERN LEAF BLIGHT	-
GOSS'S WILT	-
ANTHRACNOSE STALK ROT	-
DIPLODIA EAR ROT	-
GIBBERELLA EAR ROT	-
FUSARIUM EAR ROT	-

## MANAGEMENT RECOMMENDATIONS

HIGH INPUT	-
LOW INPUT	-
CORN ON CORN	-
NO TILL/LIMITED	-
DELAYED HARVEST	-
SILAGE USE	-
OPTIMUM POPULATION	-

**NOTES:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



# 5891™

# 100 DAYS

- 
- 
- 
- 

## Dual Purpose



### CHARACTERISTICS

PLANT HEIGHT	_____	-
EAR HEIGHT	_____	-
FLEX	_____	-
GIRTH	_____	-
KERNEL ROWS	_____	-
COB COLOR	_____	
HUSK COVER	_____	-
FLOWERING MATURITY	_____	-
BLACK LAYER MATURITY	_____	-

### AGRONOMICS

STRESS EMERGENCE	_____	-
DROUGHT TOLERANCE	_____	-
HEAT TOLERANCE	_____	-
GREEN SNAP TOLERANCE	_____	
STALK STRENGTH	_____	-
ROOT STRENGTH	_____	-
STAYGREEN	_____	-
GRAIN DRYDOWN	_____	-

### SILAGE CHARACTERISTICS

FORAGE YIELD	_____
FORAGE QUALITY	_____
SILAGE TONNAGE PER ACRE	_____
SILAGE MILK PER TON	_____
SILAGE STARCH CONTENT	_____
FIBER DIGESTIBILITY	_____
WHOLE PLANT DIGESTIBILITY	_____

### MANAGEMENT RECOMMENDATIONS

HIGH INPUT	_____	-
LOW INPUT	_____	-
PEAK HARVEST PERIOD	_____	
NO TILL/LIMITED	_____	-
OVERALL SILAGE POTENTIAL	_____	
SILAGE DRYLAND POP	_____	
SILAGE IRRIGATED POP	_____	

NOTES:

---



---



---



---



**IMPORTANT:** Characteristic scores provide key information useful in selecting and managing products in your area. Information and ratings are based on comparisons with other products sold by AgVenture, Inc.. Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible. Scores represent an average of performance data across areas of adaptation, multiple growing conditions, and a wide range of both climate and soil types, and may not predict future results. Individual product responses are variable and subject to a variety of environmental, disease and pest pressures. Please use this information as only one component of your product positioning decision.

IN EPA-DESIGNATED COTTON GROWING COUNTIES, A 20% SEPARATE CORN BORER REFUGE MUST BE PLANTED WITH OPTIMUM ACREMAX XTRA, OPTIMUM ACREMAX TRISECT, OPTIMUM ACREMAX XTREME AND OPTIMUM ACREMAX PRODUCTS.

**R** - Roundup Ready® Corn 2

**HB** - Herculex® I Insect Protection / LibertyLink® / Roundup Ready® Corn 2

**HBW** - Herculex® XTRA Insect Protection / LibertyLink® / Roundup Ready® Corn 2

**RW, HX1, LL, RR2** - Optimum® TRIssect® contains the Herculex I gene for above-ground pests and the Agrisure® RW trait for resistance to corn rootworm.

**YGCB, HX1, LL, RR2** - Optimum® Intrasect® contains the YieldGard® Corn Borer gene and Herculex® I gene for resistance to corn borer.

**YGCB, HXX/LL, RR2** - Optimum® Intrasect® Xtra contains the YieldGard® Corn Borer gene and the Herculex XTRA genes for resistance to corn borer and corn rootworm.

**AVBL, YGCB, HX1, LL, RR2** - Optimum® Leptra® contains the Agrisure Viptera® trait, the YieldGard Corn Borer gene, the Herculex® I gene, the LibertyLink® gene and the Roundup Ready® Corn 2 trait.

**AM** - Optimum® AcreMax® Insect Protection system with YGCB, HX1, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects.

**AMT** - Optimum® AcreMax® TRIssect® Insect Protection System with RW, YGCB, HX1/LL, RR2. Contains a single-bag refuge solution for above and below ground insects. The major component contains the Agrisure® RW trait, the YieldGard® Corn Borer gene, and the Herculex® I genes.

**AMX** - Optimum® AcreMax® Xtra Insect Protection system with YGCB, HXX, LL, RR2. Contains a single-bag integrated refuge solution for above- and below-ground insects.

**AMXT** - Optimum® AcreMax® XTreme contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the Agrisure® RW trait, the YieldGard® Corn Borer gene, and the Herculex® XTRA genes.

**Q (Qrome™)** - The major component contains the Agrisure® RW trait, the YieldGard® Corn Borer gene, and the Herculex® XTRA genes. Contains a single-bag integrated refuge solution for above- and below-ground insects. In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted with Qrome products. Qrome® products are approved for cultivation in the U.S. and Canada. They have also received approval in a number of importing countries, most recently China. For additional information about the status of regulatory authorizations, visit <http://www.biotradestatus.com/>

**G** - Agrisure® GT/CB/LL trait stack - Glyphosate Tolerance / Corn Borer / LibertyLink®

**ABW** - Agrisure® 3000GT trait stack + Glyphosate Tolerance / Corn Borer / Rootworm / LibertyLink®

® PowerCore, SmartStax, the SmartStax Logo Genuity, YieldGard, the YieldGard Corn Borer Design, Roundup and Roundup Ready are registered trademarks of Monsanto Technology LLC used under license.

**Always read and follow IRM, grain marketing and all other stewardship practices and pesticide label directions**

**B.t.** products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Roundup Ready® crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate.

Agrisure®, Agrisure Artesian®, and Agrisure Viptera® are trademarks of, and used under license from, a Syngenta Group Company. Agrisure® technology incorporated into these seeds is commercialized under a license from Syngenta Crop Protection AG. For more information, visit [www.agrisuretraits.com](http://www.agrisuretraits.com).

Herculex® Insect Protection technology by Dow AgroSciences and Pioneer Hi-Bred. ® Herculex and the HX logo are registered trademarks of Dow AgroSciences, LLC. Liberty®, LibertyLink® and the Water Droplet Design are trademarks of Bayer.

Corteva™ Agriscience, Agriculture Division of DowDupont, is a member of Excellence Through Stewardship® (ETS).

Corteva products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva policies regarding stewardship of those products. Crops and materials containing biotech traits may only be exported to or used, processed, or sold in jurisdictions where all necessary regulatory approvals have been granted for those crops and materials. It is a violation of national and international laws to move materials containing biotech traits across borders into jurisdictions where their import is not permitted. Growers should discuss these issues with their purchaser or grain handler to confirm the purchaser or handler's position on products being purchased. For further information on the approval status of biotech traits, please visit [www.biotradestatus.com](http://www.biotradestatus.com).

Excellence Through Stewardship® is a registered trademark of the Excellence Through Stewardship.

Optimum® AQUAmax® product performance in water-limited environments is variable and depends on many factors such as the severity and timing of moisture deficiency, heat stress, soil type, management practices and environmental stress as well as disease and pest pressures. All hybrids may exhibit reduced yield under water and heat stress. Individual results may vary.



© 2019, AgVenture, Inc.

TM, ®, SM Trademarks and service marks of Dow AgroSciences, DuPont or Pioneer, and their affiliated companies or their respective owners.

VPMaxx® brand seed is distributed by AgVenture, Inc.

Lumigen™ System products are not available in all countries. No offer for sale, sale or use of these products is permitted prior to the issuance of the required country level registrations. Always read and follow all label directions and precautions for use.

